

CROWD CONTROL BARRIER – AU & NZ

Crowd Control Barriers

Crowd control barriers, made of steel pipes, has firm structure and corrosive resistance surface for secure pedestrian, vehicles and equipment safety in the crowds and heavy traffic.



FEATURES & BENEFITS



Flexible Structure

Combine as many as crowd control barriers you want for your use without any difficult.



Easy Installation

Removable design make the fence easy to installation and disassembly .



Corrosion resistance

Hot dipped or powder coating surface supplies corrosion resistance and various colors for different use.



Customization Service

Reflective sheets, shade cloth, billboard or signage can be customized for your choice.

AVAILABLE SPECIAL TYPES



Length: 2 m.

Height: 1.1 m.

Main frame: 32 mm OD × 1.5 mm thickness.

Grill: 14 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 106.9 mm.

Feet: flat/bridge/fixed.



Length: 2.2 m.

Height: 1.1 m.

Main frame: 32 mm OD × 1.5 mm thickness.

Grill: 18 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 110 mm.

Feet: flat/bridge/fixed.



Length: 2.2 m.

Height: 1.1 m.

Main frame: 25 mm OD × 1.5 mm thickness.

Grill: 10 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 200 mm.

Feet: flat/bridge/fixed.

AVAILABLE SPECIAL TYPES



Length: 2.5 m.

Height: 1.1 m.

Main frame: 32 mm OD × 1.5 mm thickness.

Grill: 18 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 140 mm.

Feet: flat/bridge/fixed.



Length: 2.6 m.


Height: 1.1 m.

Main frame: 38 mm OD × 2 mm thickness.

Grill: 19 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 121 mm.

Feet: flat/bridge/fixed.



Length: 2.6 m.


Height: 1.1 m.

Main frame: 38 mm OD × 2 mm thickness.

Grill: 18 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 129 mm.

Feet: flat/bridge/fixed.



Length: 3.2 m.

Height: 1.1 m.

Main frame: 38 mm OD × 1.5 mm thickness.

Grill: 16 uprights of 16 mm OD × 1.2 mm thickness.

Upright spacing: 127 mm.

Feet: flat/bridge/fixed.

ASSOCIATED ACCESSORIES

Flexible Feet Choice

Fixed or removable feet for choice.
Bridge, flat or wheel removable feet options.

